THIS PAGE IS INSERTED BY OIPE SCANNING AND IS NOT PART OF THE OFFICIAL RECORD

Best Available Images

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

BLACK BORDERS

TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

BLURRY OR ILLEGIBLE TEXT


SKEWED/SLANTED IMAGES


†COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE

VERY DARK BLACK AND WHITE PHOTOS

UNDECIPHERABLE GRAY SCALE DOCUMENTS

IMAGES ARE THE BEST AVAILABLE COPY. AS RESCANNING WILL NOT CORRECT IMAGES, PLEASE DO NOT REPORT THE IMAGES TO THE PROBLEM IMAGE BOX.






normal adjacent



filtrating ductal carcinoma

FIG. 2









FIG. 44









Tumor Normal Stroma positive stroma positive glandular epithelium +++ to +++ 9/9 positive some endothelium +++ to +++ 9/9 positive some endothelium +++ Sylf positive corpus luteum +++ corpus luteum +++ corpus luteum +++ some endothelium positive some endothelium positive some positivity in neurons sylf positive epithelium regative epithelium regative stroma positive

FIG. 4E





10 Time (days) 70 80 0 Total live cell number (X^6) 10

Total Live Cell Number









FIG. 5F















FIG. 61



TGD to $500 \text{mm}^3 = 5 \text{ days}$ TGD to $1000 \text{mm}^3 = 10 \text{ days}$ length of experiment = 20 days

FIG. 6E

